



MANUAL TRANSMITTAL

Department of the Treasury
Internal Revenue Service

2.3.27

DECEMBER 11, 2024

EFFECTIVE DATE

(12-11-2024)

PURPOSE

- (1) This transmits revised IRM 2.3.27, IDRS Terminal Responses, Command Code ECREQ.

MATERIAL CHANGES

- (1) IRM 2.3.27.1 update of mandatory internal controls.
- (2) Replaced Wage & Investment (W&I) to Taxpayer Services (TS) throughout IRM.
- (3) Editorial changes were made to update current CIO and change.

EFFECT ON OTHER DOCUMENTS

IRM 2.3.27, dated February 14, 2023, is superseded.

AUDIENCE

Large Business and International (LB&I), Small Business Self-Employed (SB/SE), Tax Exempt and Government Entities (TE/GE), Taxpayer Services (TS)

Rajiv Uppal
Chief Information Officer

2.3.27

Command Code ECREQ

Table of Contents

2.3.27.1 Program Scope and Objectives

2.3.27.1.1 Background

2.3.27.1.2 Authority

2.3.27.1.3 Roles and Responsibilities

2.3.27.1.4 Program Management and Review

2.3.27.1.5 Program Controls

2.3.27.1.6 Terms and Acronyms

2.3.27.1.7 Related Resources

2.3.27.2 Command Code ECREQ

2.3.27.2.1 Error Responses For CC ECREQ

2.3.27.2.2 CC ECREQ Valid Response

Exhibits

2.3.27-1 Command Code ECREQ

2.3.27-2 ECREQ5

2.3.27-3 ECREQ5

2.3.27-4 ECREQ5

2.3.27-5 ECREQM

2.3.27-6 ECREQM

2.3.27-7 ECREQM

2.3.27-8 ECREQM

2.3.27.1
(12-11-2024)
Program Scope and Objectives

- (1) **Purpose:** This transmits revised IRM 2.3.27, IDRS Terminal Responses, Command Code ECREQ
- (2) **Audience:** All IRS business units.
- (3) **Policy Owner:** Chief Information Officer.
- (4) **Program Owner:** Account Services.
- (5) **Primary Stake Holders:** Large Business and International (LB&I), Small Business Self-Employed (SB/SE), Tax Exempt and Government Entities (TE/GE), Taxpayer Services (TS).
- (6) **Program Goals:**
- (7) Use Command Code ECREQ to request a screen format to input state employment commission requests on IMF taxpayers. Request one of the following formats: ECREQ5, ECREQP or ECREQM.

2.3.27.1.1
(02-03-2023)
Background

- (1) This IRM and the contained subsections provide the user the necessary information on how to use Command Code ECREQ.

2.3.27.1.2
(02-03-2023)
Authority

- (1) Use Command Code ECREQ to request a screen format to input state employment commission requests on IMF taxpayers present on the TIF (Taxpayer Information File) on the IDRS (Integrated Data Retrieval System).

2.3.27.1.3
(02-03-2023)
Roles and Responsibilities

- (1) The RCC(Research Command Code) Project Lead responsible for reviewing and implementing the Work Requests that affect ECREQ and for updating the contents of this IRM.

2.3.27.1.4
(02-03-2023)
Program Management and Review

- (1) The Command Code ECREQ is managed by Work Requests which are submitted for changes and also by tickets which are submitted by users for corrections.

2.3.27.1.5
(02-03-2023)
Program Controls

- (1) Access to this program is governed by SACS.

2.3.27.1.6
(02-03-2023)
Terms and Acronyms

- (1) Acronyms unique to IDRS

| Acronym | Definition |
|---------|---------------------------|
| IMF | Individual Masterfile |
| BMF | Business Masterfile |
| TIF | Taxpayer Information File |
| TC | Transaction Code |
| CC | Command Code |

2.3.27.1.7
(02-03-2023)

Related Resources

- (1) SERP - IDRS Command Code Job Aid - Job Aids

2.3.27.2
(02-03-2023)

Command Code ECREQ

- (1) Command Code ECREQ creates a record that will be sent to state agencies for potential levy sources. These records will be sent to each participating state agency within the service center jurisdiction or only to the specific states you select. Since the state's records are updated quarterly, determine if you need to re-input the request. Command Code ECREQ request a screen format to input state employment commission requests one of the following formats: ECREQ5, ECREQP or ECREQM.
- (2) Precede CC ECREQ with CC LEVYS to avoid duplication of effort and to insure no levy source already exists.
- (3) Command Code ECREQP requests produce a hardcopy listing. ECREQ, ECREQ5, or ECREQM requests will be updated to the TIF.
- (4) Command Code ECREQ with a blank, P or 5 definer will result in the ECREQ5 format,
- (5) Command Code ECREQ with a definer of M will result in the ECREQM format.
- (6) ECREQ5 and ECREQP will generate up to 5 separate taxpayer requests for the states selected.
- (7) ECREQM will generate up to 20 separate taxpayer requests. One request for each line of valid input will be sent to all states within the service center jurisdiction. Because of processing costs, avoid indiscriminate use of CC ECREQM.
- (8) If you are inputting CC ECREQP, and you are not the originator of the EC request, enter the originator's RECEIVER-EMPLOYEE-NUMBER on line 2, positions 24–33.
- (9) You may enter both the primary and secondary SSNs on the same request, although only the primary SSN is required. The taxpayer name control is a required input.
- (10) FUNCTIONAL-AREA-CODE is an optional field. Enter the correct value on line 2, position 57, if the request is not for Collection.
- (11) Tabbing to the first position of each input field has been added. See record element description.

2.3.27.2.1
(07-01-2012)

Error Responses For CC ECREQ

- (1) Error messages will be displayed in inverse video on line 24. Correct the error and re-enter.
- (2) Error Messages:
 - a. "CC-DEFINER INV"—The CC-DEFINER is not blank, M, 5 or P.
 - b. "PLEASE CORRECT INVALID DATA ON SCREEN"—all elements determined to be invalid on the request screen will be asterisk and displayed for correction and re-entry. All elements on the request screen determined to be valid will not be returned, they will be processed and written to the gendata tape.

- c. “ERROR ON WRITE TO GENDATA-NOTIFY CSA”—The request transactions on the screen have not been written to tape. CSA should correct tape problem.

2.3.27.2.2
(07-01-2012)
**CC ECREQ Valid
Response**

- (1) If Command Code ECREQ (with a definer of blank, 5, P, or M) is input correctly, the format for ECREQ5 or ECREQM will be generated.
- (2) If ECREQ5, ECREQP OR ECREQM data is input correctly, the input screen will be returned with the message “REQUEST COMPLETE” on line 24.

This Page Intentionally Left Blank

Exhibit 2.3.27-1 (07-01-2012) Command Code ECREQ

(1) Request Screen:

Attachmate Accessory Manager - [NOMENU]

File Edit View Tools Session Options Window Help

ECREQ

Pg=1 Row= 1 Col= 6 POLL

Session has been established CAP 12:59 I

(2) Record Element Description

| Element | Line | Position | Description and Validity |
|---------|------|----------|----------------------------------|
| 1 | 1 | 1-5 | COMMAND-CD ECREQ |
| 2 | 1 | 6 | CC-DEFINER: blank or M or 5 or P |

Exhibit 2.3.27-2 (07-01-2012)
ECREQ5

(1) Input Screen:

```
Attachmate Accessory Manager - [NO MENU]
File Edit View Tools Session Options Window Help

ECREQ5
      RECEIVER-EMP-NUM>nnnnnnnnnn      FUNCTIONAL-AREA-CD>n
TIN>nnn-nn-nnnn      NM-CTRL>vvvv      SECONDARY-SSN>nnn-nn-nnnn
ALL-STATES>X
IL>  MA>  NY>  TX>  WV>X
      NM-CTRL>      SECONDARY-SSN>
ALL-STATES>
IL>  MA>  NY>  TX>  WV>
      NM-CTRL>      SECONDARY-SSN>
ALL-STATES>
IL>  MA>  NY>  TX>  WV>
      NM-CTRL>      SECONDARY-SSN>
ALL-STATES>
IL>  MA>  NY>  TX>  WV>
      NM-CTRL>      SECONDARY-SSN>
ALL-STATES>
IL>  MA>  NY>  TX>  WV>

Pg=1 Row= 5 Col= 25 POLL
Session has been established
1:45
```

| (2) | Record Element Description |
|-----|----------------------------|
|-----|----------------------------|

Exhibit 2.3.27-2 (Cont. 1) (07-01-2012)
ECREQ5

| Element | Line | Position | Description and Validity |
|---------|---------------------|----------|---|
| 1 | 1 | 1–5 | COMMAND-CD ECREQ |
| 2 | 1 | 6 | CC-DEFINER: 5 or P |
| 3 | 2 | 7–23 | LITERAL: RECEIVER-EMP-NUM |
| 4 | 2 | *24–33 | RECEIVER-EMPLOYEE-NUM (used for routing): nnnnnnnnnn or [slashb] will be input only if the receiver of the state info is other than the terminal operator. First 2 positions must be valid Service Center or District Office code, within Service Center's jurisdiction. Last eight positions may not be all zeroes. |
| 5 | 2 | 38–56 | LITERAL: FUNCTIONAL-AREA-CD |
| 6 | 2 | *57 | FUNCTIONAL-AREA-CD (used for routing): Values are: 0=Collection (default value) 1=Criminal Investigation 2=Examination 3=Taxpayer Services 4–9=Reserved |
| 7 | 5,7,11,15,19 | 1–4 | LITERAL: TIN |
| 8 | 3,7,11,15,19 | *5–16 | EDITED-TIN: nnn-nn-nnnn b |
| 9 | 3,7,11,15,19 | 19–26 | LITERAL: NAME-CTRL |
| 10 | 3,7,11,15,19 | *27–30 | NAME-CTRL: vvvv |
| 11 | 3,7,11,15,19 | 33–46 | LITERAL: SECONDARY-SSN |
| 12 | 3,7,11,15,19 | *47–58 | EDITED-SECONDARY-SSN: nnn-nn-nnn [slashb] or [slashb] |
| 13 | 4,8,12,16,20 | 1–11 | LITERAL: ALL-STATES |
| 14 | 4,8,12,16,20 | *12 | ALL-STATES-IND: X or (input X if a request should be sent to all states) |
| 15 | 5, 9, 13, 17, 21 | 1–3 | LITERAL: State abbreviation |
| 16 | 5,9,13,17,21 | *4 | INDV-STATE-IND-1: X or [slashb] |
| 17 | 5,9,13,17,21 | 6–8 | LITERAL: State abbreviation |
| 18 | 5,9,13,17,21 | *9 | INDV-STATE-IND-2: X or [slashb] |
| 19 | 5,9,13,17,21 | 11–13 | LITERAL: State abbreviation |
| 20 | 5,9,13,17,21 | *14 | INDV-STATE-IND-3: X or [slashb] |

Exhibit 2.3.27-2 (Cont. 2) (07-01-2012)
ECREQ5

| Element | Line | Position | Description and Validity |
|---------|--------------|----------|----------------------------------|
| 21 | 5,9,13,17,21 | 16–18 | LITERAL: State abbreviation |
| 22 | 5,9,13,17,21 | *19 | INDV-STATE-IND-4: X or [slashb] |
| 23 | 5,9,13,17,21 | 21–23 | LITERAL: State abbreviation |
| 24 | 5,9,13,17,21 | *24 | INDV-STATE-IND-5: X or [slashb] |
| 25 | 5,9,13,17,21 | 36–28 | LITERAL: State abbreviation |
| 26 | 5,9,13,17,21 | *29 | INDV-STATE-IND-6: X or [slashb] |
| 27 | 5,9,13,17,21 | 31–33 | LITERAL: State abbreviation |
| 28 | 5,9,13,17,21 | *34 | INDV-STATE-IND-7: X or [slashb] |
| 29 | 5,9,13,17,21 | 36–38 | LITERAL: State abbreviation |
| 30 | 5,9,13,17,21 | *39 | INDV-STATE-IND-8: X or [slashb] |
| 31 | 5,9,13,17,21 | 41–43 | LITERAL: State abbreviation |
| 32 | 5,9,13,17,21 | *44 | INDV-STATE-IND-9: X or [slashb] |
| 33 | 5,9,13,17,21 | 46–48 | LITERAL: State abbreviation |
| 34 | 5,9,13,17,21 | *49 | INDV-STATE-IND-10: X or [slashb] |
| 35 | 5,9,13,17,21 | 51–53 | LITERAL: State abbreviation |
| 36 | 5,9,13,17,21 | *54 | INDV-STATE-IND-11: X or [slashb] |
| 37 | 5,9,13,17,21 | 56–58 | LITERAL: State abbreviation |
| 38 | 5,9,13,17,21 | *59 | INDV-STATE-IND-12: X or [slashb] |
| 39 | 5,9,13,17,21 | 61–63 | LITERAL: State abbreviation |
| 40 | 5,9,13,17,21 | *64 | INDV-STATE-IND-13: X or [slashb] |
| 41 | 5,9,13,17,21 | 66–68 | LITERAL: State abbreviation |
| 42 | 5,9,13,17,21 | *69 | INDV-STATE-IND-14: X or [slashb] |

Note: *Designates a tabbed element.

Exhibit 2.3.27-3 (07-01-2012)
ECREQ5

(1) Response Screen (Valid):

Attachmate Accessory Manager - {NONE}

File Edit View Tools Session Options Window Help

ECREQ5

RECEIVER-EMP-NUM>

FUNCTIONAL-AREA-CD>

TIN>

NM-CTRL>

SECONDARY-SSN>

ALL-STATES>

IL> MA> NY> TX> WV>

TIN>

NM-CTRL>

SECONDARY-SSN>

ALL-STATES>

IL> MA> NY> TX> WV>

TIN>

NM-CTRL>

SECONDARY-SSN>

ALL-STATES>

IL> MA> NY> TX> WV>

TIN>

NM-CTRL>

SECONDARY-SSN>

ALL-STATES>

IL> MA> NY> TX> WV>

Pg=1 Row=22 Col= 79

POLL

Session has been established

CAP

1:49 PM

(2) Record Element Description:

Cat. No. 28140F (12-11-2024)

Internal Revenue Manual

28140003

Exhibit 2.3.27-3

Exhibit 2.3.27-3 (Cont. 1) (07-01-2012)
ECREQ5

| Element | Line | Position | Description and Validity |
|---------|--------------|----------|-----------------------------|
| 1 | 2 | 1–5 | COMMAND-CD ECREQ |
| 2 | 2 | 6 | CC-DEFINER: 5 or P |
| 3 | 2 | 7–23 | LITERAL: RECEIVER-EMP-NUM |
| 4 | 2 | 36–56 | LITERAL: FUNCTIONAL-AREA-CD |
| 5 | 3,7,11,15,19 | 1–4 | LITERAL: TIN |
| 6 | 3,7,11,15,19 | 19–26 | LITERAL: NM-CTRL |
| 7 | 3,7,11,15,19 | 33–46 | LITERAL: SECONDARY-SSN |
| 8 | 4,8,12,16,20 | 1–11 | LITERAL: ALL-STATES |
| 9 | 5,9,13,17,21 | 1–3 | LITERAL: State abbreviation |
| 10 | 5,9,13,17,21 | 6–8 | LITERAL: State abbreviation |
| 11 | 5,9,13,17,21 | 11–13 | LITERAL: State abbreviation |
| 12 | 5,9,13,17,21 | 16–18 | LITERAL: State abbreviation |
| 13 | 5,9,13,17,21 | 21–23 | LITERAL: State abbreviation |
| 14 | 5,9,13,17,21 | 26–28 | LITERAL: State abbreviation |
| 15 | 5,9,13,17,21 | 31–33 | LITERAL: State abbreviation |
| 16 | 5,9,13,17,21 | 36–38 | LITERAL: State abbreviation |
| 17 | 5,9,13,17,21 | 41–43 | LITERAL: State abbreviation |
| 18 | 5,9,13,17,21 | 46–48 | LITERAL: State abbreviation |
| 19 | 5,9,13,17,21 | 51–53 | LITERAL: State abbreviation |
| 20 | 5,9,13,17,21 | 56–58 | LITERAL: State abbreviation |
| 21 | 5,9,13,17,21 | 61–63 | LITERAL: State abbreviation |
| 22 | 5,9,13,17,21 | 66–68 | LITERAL: State abbreviation |
| 23 | 24 | 1–26 | REQUEST COMPLETE |

Exhibit 2.3.27-4 (07-01-2012)
ECREQ5

(1) Response Screen (Error):

Attachmate Access

File Edit View Tools Session Options Window Help

ECREQ5

| | |
|---------------------|---------------------------|
| RECEIVER-EMP-NUM> | FUNCTIONAL-AREA-CD> |
| TIN> | NM-CTRL> |
| ALL-STATES> | SECONDARY-SSN> |
| IL> MA> NY> TX> WV> | |
| TIN> | NM-CTRL> |
| ALL-STATES> | SECONDARY-SSN> |
| IL> MA> NY> TX> WV> | |
| TIN>000-00-2246* | NM-CTRL>WILL |
| ALL-STATES> | SECONDARY-SSN>000-00-8812 |
| IL> MA> NY> TX> WV> | |
| TIN> | NM-CTRL> |
| ALL-STATES> | SECONDARY-SSN> |
| IL> MA> NY> TX> WV> | |
| TIN> | NM-CTRL> |
| ALL-STATES> | SECONDARY-SSN> |
| IL> MA> NY> TX> WV> | |

Pg=1 Row=22 Col= 80

POLL

Session has been established

CAP

1:53 PM

(1) Record Element Description:

Exhibit 2.3.27-4 (Cont. 1) (07-01-2012)
ECREQ5

| Element | Line | Position | Description and Validity |
|---------|------------------|----------|----------------------------------|
| 1 | 2 | 1–5 | COMMAND-CD ECREQ |
| 2 | 1 | 6 | CC-DEFINER: 5 or P |
| 3 | 2 | 7–23 | LITERAL: RECEIVER-EMP-NUM |
| 4 | 2 | 38–56 | LITERAL: FUNCTIONAL-AREA-CD |
| 5 | 3,7,11,15,19 | 1–4 | LITERAL: TIN |
| 6 | 3,7,11,15,19 | 5–16 | EDITED-TIN: (see note) |
| 7 | 3,7,11,15,19 | 19–26 | LITERAL: NM-CTRL |
| 8 | 3,7,11,15,19 | 27–30 | NAME-CTRL: (see note) |
| 9 | 3,7,11,15,19 | 33–46 | LITERAL: SECONDARY-SSN |
| 10 | 3,7,11,15,19 | 47–58 | EDITED-SECONDARY-SSN: (see note) |
| 11 | 4, 8, 12, 16, 20 | 1–11 | LITERAL: ALL-STATES |
| 12 | 4, 8, 12, 16, 20 | 12 | ALL-STATES-IND: (see note) |
| 13 | 5,9,13,17,21 | 1–3 | LITERAL: State abbreviation |
| 14 | 5,9,13,17,21 | 4 | INDV-STATE-IND-1: (see note) |
| 15 | 5,9,13,17,21 | 6–8 | LITERAL: State abbreviation |
| 16 | 5,9,13,17,21 | 9 | INDV-STATE-IND-2: (see note) |
| 17 | 5,9,13,17,21 | 11–13 | LITERAL: State abbreviation |
| 18 | 5,9,13,17,21 | 14 | INDV-STATE-IND-3: (see note) |
| 19 | 5,9,13,17,21 | 16–18 | LITERAL: State abbreviation |
| 20 | 5,9,13,17,21 | 19 | INDV-STATE-IND-4: (see note) |
| 21 | 5,9,13,17,21 | 21–23 | LITERAL: State abbreviation |
| 22 | 5,9,13,17,21 | 24 | INDV-STATE-IND-5: (see note) |
| 23 | 5,9,13,17,21 | 26–28 | LITERAL: State abbreviation |
| 24 | 5,9,13,17,21 | 29 | INDV-STATE-IND-6: (see note) |
| 25 | 5,9,13,17,21 | 31–33 | LITERAL: State abbreviation |
| 26 | 5,9,13,17,21 | 34 | INDV-STATE-IND-7: (see note) |
| 27 | 5,9,13,17,21 | 36–38 | LITERAL: State abbreviation |
| 28 | 5,9,13,17,21 | 39 | INDV-STATE-IND-8: (see note) |
| 29 | 5,9,13,17,21 | 41–43 | LITERAL: State abbreviation |

Exhibit 2.3.27-4 (Cont. 2) (07-01-2012)
ECREQ5

| Element | Line | Position | Description and Validity |
|----------------|--------------|-----------------|---------------------------------------|
| 30 | 5,9,13,17,21 | 44 | INDV-STATE-IND-9: (see note) |
| 31 | 5,9,13,17,21 | 46–48 | LITERAL: State abbreviation |
| 32 | 5,9,13,17,21 | 49 | INDV-STATE-IND-10: (see note) |
| 33 | 5,9,13,17,21 | 51–53 | LITERAL: State abbreviation |
| 34 | 5,9,13,17,21 | 54 | INDV-STATE-IND-11: (see note) |
| 35 | 5,9,13,17,21 | 56–58 | LITERAL: State abbreviation |
| 36 | 5,9,13,17,21 | 49 | INDV-STATE-IND-12: (see note) |
| 37 | 5,9,13,17,21 | 61–63 | LITERAL: State abbreviation |
| 38 | 5,9,13,17,21 | 64 | INDV-STATE-IND-13: (see note) |
| 39 | 5,9,13,17,21 | 66–68 | LITERAL: State abbreviation |
| 40 | 5,9,13,17,21 | 69 | INDV-STATE-IND-14: (see note) |
| 41 | 24 | 1–37 | PLEASE CORRECT INVALID DATA ON SCREEN |

A request transaction with one or more invalid elements will remain on the screen with an asterisk besides an invalid element(s).

(1) Input Screen:

(2) Record Element Description:

Exhibit 2.3.27-5 (Cont. 1) (07-01-2012)
ECREQM

| Element | Line | Position | Description and Validity |
|---------|------|----------|--|
| 1 | 1 | 1–5 | COMMAND-CD ECREQ |
| 2 | 1 | 6 | CC-DEFINER: M |
| 3 | 2 | 7–23 | LITERAL: RECEIVER-EMP-NUM |
| 4 | 2 | *24–33 | |
| 5 | 2 | 38–56 | LITERAL: FUNCTIONAL-AREA-CD |
| 6 | 2 | *57 | FUNCTIONAL-AREA-CD (used for routing): Values are: 0 — Collection (default value) 1 — Criminal Investigation 2 — Examination 3 — Taxpayer Services 4–9 — Reserved |
| 7 | 3–22 | 1–4 | LITERAL: TIN |
| 8 | 3–22 | *5–16 | |
| 9 | 3–22 | 19–26 | LITERAL: NM-CTRL |
| 10 | 3–22 | *27–30 | NAME-CTRL: vvvv |
| 11 | 3–22 | 33–46 | LITERAL: SECONDARY-SSN |
| 12 | 3–22 | *47–59 | |

*Designates a tabbed element.

ECREQM

(1) Response Screen (Valid):

```
Attachmate Accesso - [?] x
```

```
File Edit View Tools Session Options Window Help
```

```
ECREQM
```

| | RECEIVER-EMP-NUM> | FUNCTIONAL-AREA-CD> |
|------|-------------------|---------------------|
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |
| TIN> | NM-CTRL> | SECONDARY-SSN> |

```
Pg=1 Row=22 Col= 79 POLL
```

```
Session has been established 1:58 PM
```

(2) Record Element Description:

Exhibit 2.3.27-6 (Cont. 1) (07-01-2012)
ECREQM

| Element | Line | Position | Description and Validity |
|----------------|-------------|-----------------|---------------------------------|
| 1 | 1 | 1–5 | COMMAND-CD ECREQ |
| 2 | 1 | 6 | CC-DEFINER: M |
| 3 | 2 | 7–23 | LITERAL: RECEIVER-EMP-NUM |
| 4 | 2 | 38–56 | LITERAL: FUNCTIONAL-AREA-CD |
| 5 | 3–22 | 1–4 | LITERAL: TIN |
| 6 | 3–22 | 19–26 | LITERAL: NM-CTRL |
| 7 | 3–22 | 33–46 | LITERAL: SECONDARY-SSN |
| 8 | 24 | 1–26 | REQUEST COMPLETE |

Exhibit 2.3.27-7 (07-01-2012)
ECREQM

(1) Response Screen (Error):

Attachmate Access

File Edit View Tools Session Options Window Help

ECREQM

RECEIVER-EMP-NUM>

FUNCTIONAL-AREA-CD>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN>000-00-2246 * NM-CTRL>WILL SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

TIN> NM-CTRL> SECONDARY-SSN>

Pg=1 Row=22 Col= 80

POLL

Session has been established

CAP

1:59 PM

(2) Record Element Description:

Exhibit 2.3.27-7 (Cont. 1) (07-01-2012)
ECREQM

| Element | Line | Position | Description and Validity |
|----------------|-------------|-----------------|---------------------------------------|
| 1 | 1 | 1–5 | COMMAND-CD ECREQ |
| 2 | 1 | 6 | CC-DEFINER: M |
| 3 | 2 | 7–23 | LITERAL: RECEIVER-EMP-NUM |
| 4 | 2 | 38–56 | LITERAL: FUNCTIONAL-AREA-CD |
| 5 | 3–22 | 1–4 | LITERAL: TIN |
| 6 | 3–22 | 5–16 | EDITED-TIN: (see note) |
| 7 | 3–22 | 19–26 | LITERAL: NM-CTRL |
| 8 | 3–22 | 27–30 | NAME-CTRL: (see note) |
| 9 | 3–22 | 33–46 | LITERAL: SECONDARY-SSN |
| 10 | 3–22 | 47–58 | EDITED-SECONDARY-SSN: (see note) |
| 11 | 24 | 1–37 | PLEASE CORRECT INVALID DATA ON SCREEN |

A request transaction with one or more invalid elements will remain on the screen with an asterisk beside any invalid element.

(1) Response Screen (Error):

(2) Record Element Description:

Exhibit 2.3.27-8 (Cont. 1) (07-01-2012)
ECREQM

| Element | Line | Position | Description and Validity |
|---------|------|----------|--------------------------------------|
| 1 | 1 | 1–5 | COMMAND-CD ECREQ |
| 2 | 1 | 6 | CC-DEFINER: M |
| 3 | 2 | 7–23 | LITERAL: RECEIVER-EMP-NUM |
| 4 | 2 | 38–56 | LITERAL: FUNCTIONAL-AREA-CD |
| 5 | 3–22 | 1–4 | LITERAL: TIN |
| 6 | 3–22 | 5–16 | EDITED-TIN: (see note) |
| 7 | 3–22 | 19–26 | LITERAL: NM-CTRL |
| 8 | 3–22 | 27–30 | NAME-CTRL: (see note) |
| 9 | 3–22 | 33–46 | LITERAL: SECONDARY-SSN |
| 10 | 3–22 | 47–58 | EDITED-SECONDARY-SSN: (see note) |
| 11 | 24 | 1–37 | ERROR ON WRITE TO GENDATA-NOTIFY CSA |

Note: A request transaction with one or more invalid elements will remain on the screen with an asterisk beside any invalid element.

